


**IN THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended): A composition suitable for topical application to the skin or the scalp, comprising, in a physiologically acceptable medium, at least one compound of formula (I):



wherein  $R_1$  is selected from the group consisting of, hydrogen, methyl, ethyl, fluorine, and benzyl,

each  $R_2$  group is independently selected from the group consisting of  $[[,]]$  hydroxyl, hydroxymethyl, and methyl, ~~and glycoside~~,

$X$  is selected from the group consisting of  $NH_2$ ,  $NHCH_3$ , and  $OH$ ,


$Y$  is selected from the group consisting of  $NH_2$ ,  $NHCH_3$ , and  $OH$ ,

$n$  is 1, and

$m$  is an integer equal to 0, 3 or 4, wherein the compound is present in an amount ranging from 0.1 to 6% by weight with respect to the total weight of the composition.

2-4. (Canceled).

5. (Currently Amended): The composition according to Claim 1, wherein the compound of formula (I) is a C-glycoside derivative corresponding to formula (II) below:



in which:

$R_1$  is selected from the group consisting of hydrogen, methyl, ethyl, fluorine, and benzyl,


X is selected from the group consisting of  $NH_2$ ,  $NHCH_3$ , and OH,

Y is selected from the group consisting of  $NH_2$ ,  $NHCH_3$ , and OH,

- S represents a monosaccharide, in pyranose ~~and/or furanose~~ form and of L and/or D series, the monosaccharide comprising at least one free hydroxyl function, and

- the S-C bond represents a bond of C-anomeric nature.

6. (Currently Amended): The composition according to Claim 1, wherein the compound of formula (I) is a C-glycoside derivative corresponding to formula (III):



in which:

- S represents a monosaccharide, in pyranose and/or furanose form and of L and/or D series, the monosaccharide comprising at least one free hydroxyl function,
- the S-C bond represents a bond of C-anomeric nature,
- R<sub>5</sub> is selected from, methyl, ethyl, fluorine, and benzyl, and
- R'' denotes a hydrogen atom or a methyl group.

7. (Currently Amended): The composition according to Claim 5, wherein S is a monosaccharide selected from the group consisting of D-glucose, D-galactose, D-mannose, D-xylose, D-lyxose, L-fucose, ~~L-arabinose~~, L-rhamnose, D-glucuronic acid, D-galacturonic acid, D-iduronic acid, N-acetyl-D-glucosamine and N-acetyl-D-galactosamine.

8. (Canceled).

9. (Original): The composition according to Claim 6, wherein R<sub>5</sub> is a benzyl or methyl group and R'' is a methyl group.

10-11. (Canceled).

12. (Withdrawn): A cosmetic process for treating the skin or the scalp, comprising topically applying to the skin or the scalp the composition of Claim 1.

13. (Withdrawn -- Currently Amended): A cosmetic process for ~~preventing or fading out~~ treating the signs of ageing of the skin and/or for improving the radiance of the complexion and/or for combating dry skin, comprising topically applying to the skin the composition as defined in Claim 1.

14. (Withdrawn): A cosmetic process for protecting the skin against the harmful effects of UV rays and pollution, comprising topically applying to the skin the composition as defined in Claim 1.

15. (Withdrawn): Cosmetic process for improving the barrier function of the skin and/or for moisturizing the skin, comprising topically applying to the skin the composition as defined in Claim 1.

16. (Currently Amended): The composition according to Claim 6, wherein S is a monosaccharide selected from the group consisting of D-glucose, D-galactose, D-mannose, D-xylose, D-lyxose, L-fucose, ~~L-arabinose~~, L-rhamnose, D-glucuronic acid, D-galacturonic acid, D-iduronic acid, N-acetyl-D-glucosamine and N-acetyl-D-galactosamine.



17. (Canceled).

18. (Currently Amended): The composition according to Claim 1, wherein R<sub>1</sub> is selected from the group consisting of methyl, ethyl, and benzyl, each R<sub>2</sub> group is independently selected from the group consisting of hydroxyl, hydroxymethyl, and methyl, ~~glycoside, and mixtures thereof~~, X is selected from the group consisting of NH<sub>2</sub>, NHCH<sub>3</sub>, and OH, Y is selected from the group consisting of NH<sub>2</sub>, NHCH<sub>3</sub>, and OH, and m is an integer equal to 0, 3 or 4.


19. (Currently Amended): The composition according to Claim 1, wherein R<sub>1</sub> is benzyl, each R<sub>2</sub> group is independently selected from the group consisting of hydroxymethyl, hydroxyl, and methyl, ~~and mixtures thereof~~, X and Y are NHCH<sub>3</sub>, and m is an integer equal to 3 or 4.

20. (Previously Presented): The composition according to Claim 1, wherein R<sub>1</sub> is benzyl, R<sub>2</sub> is hydroxyl, X and Y are NHCH<sub>3</sub>, and m is an integer equal to 3.

21. (Previously Presented): The composition according to Claim 1, comprising at least one of the following compounds:



and



22. (Previously Presented): The composition according to Claim 1, wherein the compound is present in an amount ranging from 0.1 to 5% by weight with respect to the total weight of the composition.

23. (Previously Presented): The composition according to Claim 1, wherein the compound is present in an amount ranging from 1 to 6% by weight with respect to the total weight of the composition.

24. (Previously Presented): The composition according to Claim 1, wherein the compound is present in an amount ranging from 3 to 6% by weight with respect to the total weight of the composition.